



*National Aeronautics and Space
Administration Goddard Earth Science
Data Information and Services Center
(GES DISC)*

README Document for MERRA2 Data Products

Last Revised 10/5/2015

Goddard Earth Sciences Data and Information Services Center (GES DISC)
<http://disc.gsfc.nasa.gov>
NASA Goddard Space Flight Center
Code 610.2
Greenbelt, MD 20771 USA

Prepared By:

Dana Ostrenga

GMAO

Name
GES DISC
GSFC Code 610.2

Name
External Organization

10/5/2015

Date

Reviewed By:

Reviewer Name
GES DISC
GSFC Code 610.2

Date

**Goddard Space Flight Center
Greenbelt, Maryland**

Revision History

<i>Revision Date</i>	<i>Changes</i>	<i>Author</i>

Table of Contents

Contents

1.0 Introduction	6
To View specific data set information like file naming convention, temporal and spatial information please visit the MERRA-2: File Specification document on the GMAO Publications site.	
(http://gmao.gsfc.nasa.gov/pubs/office_notes/)	
2.0 Products/Parameters	7
Constants	7
const_2d_asm_Nx (M2C0NXASM): Constant Model Parameters	7
Instantaneous Two-Dimensional Collections.....	8
inst1_2d_asm_Nx (M2I1NXASM): Single-Level Diagnostics	8
inst1_2d_int_Nx (M2I1NXINT): Vertically Integrated Diagnostics.....	9
inst1_2d_lfo_Nx (M2I1NXLFO): Land Surface Forcings	10
inst3_2d_gas_Nx (M2I3NXGAS): Aerosol Optical Depth Analysis	10
Instantaneous Three-Dimensional Collections	11
inst3_3d_aer_Nv (M2I3NVAER): Aerosol Mixing Ratio	11
inst3_3d_asm_Np (M2I3NPASM): Assimilated Meteorological Fields	12
inst3_3d_asm_Nv (M2I3NVASM): Assimilated Meteorological Fields	13
inst3_3d_chm_Nv (M2I3NVCHM): Carbon Monoxide and Ozone Mixing Ratio	14
inst3_3d_gas_Nv (M2I3NVGAS): Aerosol Mixing Ratio Analysis Increments	15
inst6_3d ана_Np (M2I6NPANA): Analyzed Meteorological Fields	15
inst6_3d ана_Nv (M2I6NVANA): Analyzed Meteorological Fields	16
Time Averaged Two-Dimensional Collections	17
statD_2d_slv_Nx (M2SDNXSLV): Single-Level Diagnostics	17
tavg1_2d_adg_Nx (M2T1NXADG): Aerosol Diagnostics (extended)	17
tavg1_2d_aer_Nx (M2T1NXAER): Aerosol Diagnostics.....	22
tavg1_2d_chm_Nx (M2T1NXCHM): Carbon Monoxide and Ozone Diagnostics	25
tavg1_2d_csp_Nx (M2T1NCSP): COSP Satellite Simulator	25
tavg1_2d_flx_Nx (M2T1NXFLX): Surface Flux Diagnostics.....	26
tavg1_2d_int_Nx (M2T1NXINT): Vertically Integrated Diagnostics.....	29

tavg1_2d_lfo_Nx (M2T1NXLFO): Land Surface Forcings	33
tavg1_2d_lnd_Nx (M2T1NXLND): Land Surface Diagnostics	34
tavg1_2d_ocn_Nx (M2T1NXOCN): Ocean Surface Diagnostics	37
tavg1_2d_rad_Nx (M2T1NXRAD): Radiation Diagnostics	38
tavg1_2d_slv_Nx (M2T1NXSLV): Single-Level Diagnostics	40
tavg3_2d_glc_Nx (M2T3NXGLC): Land Ice Surface Diagnostics	42
Time Averaged Three-Dimensional Collections.....	43
tavg3_3d_asm_Nv (M2T3NVASM): Assimilated Meteorological Fields	43
tavg3_3d_cld_Np (M2T3NPCLD): Cloud Diagnostics	44
tavg3_3d_cld_Nv (M2T3NVCLD): Cloud Diagnostics	45
tavg3_3d_mst_Ne (M2T3NEMST): Moist Processes Diagnostics	46
tavg3_3d_mst_Np (M2T3NPMST): Moist Processes Diagnostics	46
tavg3_3d_mst_Nv (M2T3NVMST): Moist Processes Diagnostics	47
tavg3_3d_nav_Ne (M2T3NENAV): Vertical Coordinates (Edges)	48
tavg3_3d_odt_Np (M2T3NPQDT): Ozone Tendencies	48
tavg3_3d_qdt_Np (M2T3NPQDT): Moist Tendencies	48
tavg3_3d_rad_Np (M2T3NPQRAD): Radiation Diagnostics	49
tavg3_3d_rad_Nv (M2T3NVRAD): Radiation Diagnostics	50
tavg3_3d_tdt_Np (M2T3NPTDT): Temperature Tendencies.....	51
tavg3_3d_trb_Ne (M2T3NETRB): Turbulence Diagnostics	51
tavg3_3d_trb_Np (M2T3NPTRB): Turbulence Diagnostics	52
tavg3_3d_udt_Np (M2T3NPUDT): Wind Tendencies	53
Digital Object Identifier (DOI) Tables	54
3.0 Options for Reading the Data	57
3.1 Command Line Utilities	57
3.1.1 Grads	57
3.1.2 hdp and ncldump	60
4.0 Data Services.....	61
5.0 More Information	61
6.0 Acknowledgements.....	62

1.0 Introduction

This document provides basic information for using MERRA2 Gridded Output products.

The second Modern-Era Retrospective analysis for Research and Applications (MERRA-2) is a NASA atmospheric reanalysis that begins in 1980. It replaces the original MERRA reanalysis (Rienecker et al., 2011) using an upgraded version of the Goddard Earth Observing System Model, Version 5 (GEOS-5) data assimilation system. MERRA-2 includes updates to the model (Molod et al., 2012; 2014) and to the Global Statistical Interpolation (GSI) analysis scheme of Wu et al. (2002). Details of the MERRA-2 system, including major changes from the MERRA system, are detailed in the companion GMAO Office Note No. 10. The major motivation for replacing MERRA with MERRA-2 is the fact that the MERRA data assimilation system was frozen in 2008 and is not capable of ingesting several important new data types: as the older satellite instruments fail, the number of observations available for assimilation in MERRA is decreasing rapidly. MERRA-2 uses GEOS-5, Version 5.12.4, which is able to use the newer microwave sounders and hyperspectral infrared radiance instruments, among other instruments. McCarty et al. (2015) describes the MERRA-2 observing system.

To View specific data set information like file naming convention, temporal and spatial information please visit the [MERRA-2: File Specification document](#) on the GMAO Publications site.

(http://gmao.gsfc.nasa.gov/pubs/office_notes/)

2.0 Products/Parameters

Products

This section lists the variables in each data collection. More details on the variable definitions may be found in the GEOS-5 Variable Definition Glossary, available at the GMAO web page. In the tables, variable names refer to HDF names, which are uppercase.

Constants

const_2d_asm_Nx (M2CONXASM): Constant Model Parameters

Frequency: *constant from 03:00 UTC (time-invariant)*

Spatial Grid: *2D, single-level, full horizontal resolution*

Dimensions: *longitude=576, latitude=361, time=1*

Granule Size: *~6 MB*

Name	Dim	Description	Units
AREA	tyx	a grid cell area	m ²
FRLAKE	tyx	fraction of lake	1
FRLAND	tyx	fraction of land	1
FRLANDICE	tyx	fraction of land ice	1
FROCEAN	tyx	fraction of ocean	1
PHIS	tyx	surface geopotential height	m ² s ⁻²
SGH	tyx	isotropic stdv of GWD topography	m

Instantaneous Two-Dimensional Collections

inst1_2d_asm_Nx (M2I1NXASM): Single-Level Diagnostics

Frequency: 1-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 2D, *single-level, full horizontal resolution*

Dimensions: *longitude=576, latitude=361, time=24*

Granule Size: ~194 MB

Name	Dim	Description	Units
DISPH	tyx	zero plane displacement height	m
PS	tyx	surface pressure	Pa
QV10M	tyx	10-meter specific humidity	kg kg ⁻¹
QV2M	tyx	2-meter specific humidity	kg kg ⁻¹
SLP	tyx	sea level pressure	Pa
T10M	tyx	10-meter air temperature	K
T2M	tyx	2-meter air temperature	K
TO3	tyx	total column ozone	Dobsons
TOX	tyx	total column odd oxygen	kg m ⁻²
TQI	tyx	total precipitable ice water	kg m ⁻²
TQL	tyx	total precipitable liquid water	kg m ⁻²
TQV	tyx	total precipitable water vapor	kg m ⁻²
TROPPB	tyx	tropopause pressure based on blended estimate	Pa
TROPPT	tyx	tropopause pressure based on thermal estimate	Pa
TROPPV	tyx	tropopause pressure based on EPV estimate	Pa

TROPQ	tyx	tropopause specific humidity using blended TROPP estimate	kg kg^{-1}
TROPT	tyx	tropopause temperature using blended TROPP estimate	K
TS	tyx	surface skin temperature	K
U10M	tyx	10-meter eastward wind	m s^{-1}
U2M	tyx	2-meter eastward wind	m s^{-1}
U50M	tyx	eastward wind at 50 meters	m s^{-1}
V10M	tyx	10-meter northward wind	m s^{-1}
V2M	tyx	2-meter northward wind	m s^{-1}
V50M	tyx	northward wind at 50 meters	m s^{-1}

inst1_2d_int_Nx (M2I1NXINT): Vertically Integrated Diagnostics

Frequency: 1-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~100 MB

Name	Dim	Description	Units
CPT	tyx	vertically integrated enthalpy	J m^{-2}
KE	tyx	vertically integrated kinetic energy	J m^{-2}
MASS	tyx	atmospheric mass	kg m^{-2}
THV	tyx	vertically integrated virtual potential temperature	K
TOX	tyx	total column odd oxygen	kg m^{-2}
TQI	tyx	total precipitable ice water	kg m^{-2}
TQL	tyx	total precipitable liquid water	kg m^{-2}

TQV	tyx	total precipitable water vapor	kg m ⁻²
-----	-----	--------------------------------	--------------------

inst1_2d_lfo_Nx (M2I1NXLFO): Land Surface Forcings

Frequency: 1-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~61 MB

Name	Dim	Description	Units
HML	tyx	surface layer height	m
PS	tyx	surface pressure	Pa
QLML	tyx	surface specific humidity	1
SPEEDLML	tyx	surface wind speed	m s ⁻¹
TML	tyx	surface air temperature	K

inst3_2d_gas_Nx (M2I3NXGAS): Aerosol Optical Depth Analysis

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=8

Granule Size: ~9 MB

Name	Dim	Description	Units
AODANA	tyx	Aerosol Optical Depth Analysis	1

AODINC	txy	Aerosol Optical Depth Analysis Increment	1
--------	-----	--	---

Instantaneous Three-Dimensional Collections

inst3_3d_aer_Nv (M2I3NVAER): Aerosol Mixing Ratio

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=72, *time*=8

Granule Size: ~4.0 GB

Name	Dim	Description	Units
AIRDENS	tzyx	air density	kg m ⁻³
BCPHILIC	tzyx	Hydrophilic Black Carbon	kg kg ⁻¹
BCPHOBIC	tzyx	Hydrophobic Black Carbon	kg kg ⁻¹
DELP	tzyx	pressure thickness	Pa
DMS	tzyx	Dimethylsulphide	kg kg ⁻¹
DU001	tzyx	Dust Mixing Ratio (bin 001)	kg kg ⁻¹
DU002	tzyx	Dust Mixing Ratio (bin 002)	kg kg ⁻¹
DU003	tzyx	Dust Mixing Ratio (bin 003)	kg kg ⁻¹
DU004	tzyx	Dust Mixing Ratio (bin 004)	kg kg ⁻¹
DU005	tzyx	Dust Mixing Ratio (bin 005)	kg kg ⁻¹
LWI	tyx	land(1) water(0) ice(2) flag	1
MSA	tzyx	Methanesulphonic acid	kg kg ⁻¹
OCPHILIC	tzyx	Hydrophilic Organic Carbon (Particulate Matter)	kg kg ⁻¹

OCPHOBIC	tzyx	Hydrophobic Organic Carbon (Particulate Matter)	kg kg^{-1}
PS	tyx	surface pressure	Pa
RH	tzyx	relative humidity after moist	1
SO2	tzyx	Sulphur dioxide	kg kg^{-1}
SO4	tzyx	Sulphate aerosol	kg kg^{-1}
SS001	tzyx	Sea Salt Mixing Ratio (bin 001)	kg kg^{-1}
SS002	tzyx	Sea Salt Mixing Ratio (bin 002)	kg kg^{-1}
SS003	tzyx	Sea Salt Mixing Ratio (bin 003)	kg kg^{-1}
SS004	tzyx	Sea Salt Mixing Ratio (bin 004)	kg kg^{-1}
SS005	tzyx	Sea Salt Mixing Ratio (bin 005)	kg kg^{-1}

inst3_3d_asm_Np (M2I3NPASM): Assimilated Meteorological Fields

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=42, *time*=8

Granule Size: ~1.1 GB

Name	Dim	Description	Units
EPV	tzyx	ertels potential vorticity	$\text{K m}^2 \text{ kg}^{-1} \text{ s}^{-1}$
H	tzyx	edge heights	m
O3	tzyx	ozone mass mixing ratio	kg kg^{-1}
OMEGA	tzyx	vertical pressure velocity	Pa s^{-1}
PHIS	tyx	surface geopotential height	$\text{m}^2 \text{ s}^{-2}$

PS	tzyx	surface pressure	Pa
QI	tzyx	mass fraction of cloud ice water	kg kg ⁻¹
QL	tzyx	mass fraction of cloud liquid water	kg kg ⁻¹
QV	tzyx	specific humidity	kg kg ⁻¹
RH	tzyx	relative humidity after moist	1
SLP	tzyx	sea level pressure	Pa
T	tzyx	air temperature	K
U	tzyx	eastward wind	m s ⁻¹
V	tzyx	northward wind	m s ⁻¹

inst3_3d_asm_Nv (M2I3NVASM): Assimilated Meteorological Fields

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=72, *time*=8

Granule Size: ~2.1 GB

Name	Dim	Description	Units
CLOUD	tzyx	cloud fraction for radiation	1
DELP	tzyx	pressure thickness	Pa
EPV	tzyx	ertels potential vorticity	K m ² kg ⁻¹ s ⁻¹
H	tzyx	mid layer heights	m
O3	tzyx	ozone mass mixing ratio	kg kg ⁻¹
OMEGA	tzyx	vertical pressure velocity	Pa s ⁻¹

PHIS	tzyx	surface geopotential height	$\text{m}^2 \text{s}^{-2}$
PL	tzyx	mid level pressure	Pa
PS	tzyx	surface pressure	Pa
QI	tzyx	mass fraction of cloud ice water	kg kg^{-1}
QL	tzyx	mass fraction of cloud liquid water	kg kg^{-1}
QV	tzyx	specific humidity	kg kg^{-1}
RH	tzyx	relative humidity after moist	1
SLP	tzyx	sea level pressure	Pa
T	tzyx	air temperature	K
U	tzyx	eastward wind	m s^{-1}
V	tzyx	northward wind	m s^{-1}

inst3_3d_chm_Nv (M2I3NVCHM): Carbon Monoxide and Ozone Mixing Ratio

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=72, *time*=8

Granule Size: ~532 MB

Name	Dim	Description	Units
AIRDENS	tzyx	air density	kg m^{-3}
CO	tzyx	Carbon Monoxide (All Sources)	mol mol^{-1}
DELP	tzyx	pressure thickness	Pa
O3	tzyx	ozone mass mixing ratio	kg kg^{-1}

PS	tzyx	surface pressure	Pa
----	------	------------------	----

inst3_3d_gas_Nv (M2I3NVGAS): Aerosol Mixing Ratio Analysis Increments

Frequency: 3-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=72, *time*=8

Granule Size: ~402 MB

Name	Dim	Description	Units
AIRDENS	tzyx	air density	kg m ⁻³
BCINC	tzyx	Black Carbon Mixing Ratio Analysis Increments	kg kg ⁻¹
DUINC	tzyx	Dust Mixing Ratio Analysis Increments	kg kg ⁻¹
OCINC	tzyx	Organic Carbon Mixing Ratio Analysis Increments	kg kg ⁻¹
SSINC	tzyx	Sea-salt Mixing Ratio Analysis Increments	kg kg ⁻¹
SUINC	tzyx	Sulfate Mixing Ratio Analysis Increments	kg kg ⁻¹
DELP	tzyx	pressure thickness	Pa

inst6_3d_ana_Np (M2I6NPANA): Analyzed Meteorological Fields

Frequency: 6-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=42, *time*=4

Granule Size: ~509 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
H	tzyx	Geopotential height	m
O3	tzyx	Ozone mixing ratio	kg kg ⁻¹
PS	tyx	Surface pressure	Pa
QV	tzyx	Specific humidity	kg kg ⁻¹
SLP	tyx	Sea-level pressure	Pa
T	tzyx	Air temperature	K
U	tzyx	Eastward wind component	m/s
V	tzyx	Northward wind component	m/s

inst6_3d_ana_Nv (M2I6NVANA): Analyzed Meteorological Fields

Frequency: 6-hourly from 00:00 UTC (*instantaneous*)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *level*=72, *time*=4

Granule Size: ~831 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
DELP	tzyx	Layer pressure thickness	Pa
O3	tzyx	Ozone mixing ratio	kg kg ⁻¹
PS	tyx	Surface pressure	Pa
QV	tzyx	Specific humidity	kg kg ⁻¹
T	tzyx	Air temperature	K

U	tzyx	Eastward wind component	m/s
V	tzyx	Northward wind component	m/s

Time Averaged Two-Dimensional Collections

statD_2d_slv_Nx (M2SDNXSLV): Single-Level Diagnostics

Frequency: *daily from 00:30 UTC (aggregated statistics)*

Spatial Grid: *2D, single-level, full horizontal resolution*

Dimensions: *longitude=576, latitude=361, time=1*

Granule Size: *~2 MB*

Name	Dim	Description	Units
HOURNORAIN	tyx	time-during an hour with no precipitation	s
T2MMAX	tyx	2-meter air temperature	K
T2MMEAN	tyx	2-meter air temperature	K
T2MMIN	tyx	2-meter air temperature	K
TPRECMAX	tyx	Maximum precipitation rate during the period	$\text{kg m}^{-2} \text{s}^{-1}$

tavg1_2d_adg_Nx (M2T1NXADG): Aerosol Diagnostics (extended)

Frequency: *1-hourly from 00:30 UTC (time-averaged)*

Spatial Grid: *2D, single-level, full horizontal resolution*

Dimensions: *longitude=576, latitude=361, time=24*

Granule Size: *~779 MB*

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
BCDP001	tyx	Black Carbon Dry Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
BCDP002	tyx	Black Carbon Dry Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
BCEM001	tyx	Black Carbon Emission Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
BCEM002	tyx	Black Carbon Emission Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
BCEMAN	tyx	Black Carbon Anthropogenic Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
BCEMBB	tyx	Black Carbon Biomass Burning Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
BCEMBF	tyx	Black Carbon Biofuel Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
BCHYPHIL	tyx	Black Carbon Hydrophobic to Hydrophilic	$\text{kg m}^{-2} \text{s}^{-1}$
BCSD001	tyx	Black Carbon Sedimentation Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
BCSD002	tyx	Black Carbon Sedimentation Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
BCSV001	tyx	Black Carbon Convective Scavenging Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
BCSV002	tyx	Black Carbon Convective Scavenging Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
BCWT001	tyx	Black Carbon Wet Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
BCWT002	tyx	Black Carbon Wet Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUAERIDX	tyx	Dust TOMS UV Aerosol Index	1
DUDP001	tyx	Dust Dry Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
DUDP002	tyx	Dust Dry Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUDP003	tyx	Dust Dry Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
DUDP004	tyx	Dust Dry Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
DUDP005	tyx	Dust Dry Deposition Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
DUEM001	tyx	Dust Emission Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
DUEM002	tyx	Dust Emission Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUEM003	tyx	Dust Emission Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$

DUEM004	txy	Dust Emission Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
DUEM005	txy	Dust Emission Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
DUEXTTFM	txy	Dust Extinction AOT [550 nm] - PM 1.0 um	1
DUSCATFM	txy	Dust Scattering AOT [550 nm] - PM 1.0 um	1
DUSD001	txy	Dust Sedimentation Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
DUSD002	txy	Dust Sedimentation Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUSD003	txy	Dust Sedimentation Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
DUSD004	txy	Dust Sedimentation Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
DUSD005	txy	Dust Sedimentation Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
DUSV001	txy	Dust Convective Scavenging Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
DUSV002	txy	Dust Convective Scavenging Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUSV003	txy	Dust Convective Scavenging Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
DUSV004	txy	Dust Convective Scavenging Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
DUSV005	txy	Dust Convective Scavenging Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
DUWT001	txy	Dust Wet Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
DUWT002	txy	Dust Wet Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
DUWT003	txy	Dust Wet Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
DUWT004	txy	Dust Wet Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
DUWT005	txy	Dust Wet Deposition Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
OCDP001	txy	Organic Carbon Dry Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
OCDP002	txy	Organic Carbon Dry Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
OCEM001	txy	Organic Carbon Emission Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
OCEM002	txy	Organic Carbon Emission Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
OCEMAN	txy	Organic Carbon Anthropogenic Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
OCEMBB	txy	Organic Carbon Biomass Burning Emissions	$\text{kg m}^{-2} \text{s}^{-1}$

OCEMBF	txy	Organic Carbon Biofuel Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
OCEMBG	txy	Organic Carbon Biogenic Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
OCHYPHIL	txy	Organic Carbon Hydrophobic to Hydrophilic	$\text{kg m}^{-2} \text{s}^{-1}$
OCSD001	txy	Organic Carbon Sedimentation Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
OCSD002	txy	Organic Carbon Sedimentation Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
OCSV001	txy	Organic Carbon Convective Scavenging Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
OCSV002	txy	Organic Carbon Convective Scavenging Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
OCWT001	txy	Organic Carbon Wet Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
OCWT002	txy	Organic Carbon Wet Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SO2EMAN	txy	SO2 Anthropogenic Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
SO2EMBB	txy	SO2 Biomass Burning Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
SO2EMVE	txy	SO2 Volcanic (explosive) Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
SO2EMVN	txy	SO2 Volcanic (non-explosive) Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
SO4EMAN	txy	SO4 Anthropogenic Emissions	$\text{kg m}^{-2} \text{s}^{-1}$
SSAERIDX	txy	Sea Salt TOMS UV Aerosol Index	1
SSDP001	txy	Sea Salt Dry Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SSDP002	txy	Sea Salt Dry Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SSDP003	txy	Sea Salt Dry Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SSDP004	txy	Sea Salt Dry Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SSDP005	txy	Sea Salt Dry Deposition Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
SSEM001	txy	Sea Salt Emission Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SSEM002	txy	Sea Salt Emission Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SSEM003	txy	Sea Salt Emission Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SSEM004	txy	Sea Salt Emission Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SSEM005	txy	Sea Salt Emission Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$

SSEXTTFM	txy	Sea Salt Extinction AOT [550 nm] - PM 1.0 um	1
SSCATFM	txy	Sea Salt Scattering AOT [550 nm] - PM 1.0 um	1
SSSD001	txy	Sea Salt Sedimentation Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SSSD002	txy	Sea Salt Sedimentation Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SSSD003	txy	Sea Salt Sedimentation Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SSSD004	txy	Sea Salt Sedimentation Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SSSD005	txy	Sea Salt Sedimentation Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
SSSV001	txy	Sea Salt Convective Scavenging Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SSSV002	txy	Sea Salt Convective Scavenging Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SSSV003	txy	Sea Salt Convective Scavenging Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SSSV004	txy	Sea Salt Convective Scavenging Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SSSV005	txy	Sea Salt Convective Scavenging Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
SSWT001	txy	Sea Salt Wet Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SSWT002	txy	Sea Salt Wet Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SSWT003	txy	Sea Salt Wet Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SSWT004	txy	Sea Salt Wet Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SSWT005	txy	Sea Salt Wet Deposition Bin 005	$\text{kg m}^{-2} \text{s}^{-1}$
SUDP001	txy	Sulfate Dry Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SUDP002	txy	Sulfate Dry Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SUDP003	txy	Sulfate Dry Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SUDP004	txy	Sulfate Dry Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SUEM001	txy	Sulfate Emission Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SUEM002	txy	Sulfate Emission Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SUEM003	txy	Sulfate Emission Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SUEM004	txy	Sulfate Emission Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$

SUPMSA	txy	MSA Prod from DMS Oxidation [column]	$\text{kg m}^{-2} \text{s}^{-1}$
SUPSO2	txy	SO2 Prod from DMS Oxidation [column]	$\text{kg m}^{-2} \text{s}^{-1}$
SUPSO4AQ	txy	SO4 Prod from Aqueous SO2 Oxidation [column]	$\text{kg m}^{-2} \text{s}^{-1}$
SUPSO4G	txy	SO4 Prod from Gaseous SO2 Oxidation [column]	$\text{kg m}^{-2} \text{s}^{-1}$
SUPSO4WT	txy	SO4 Prod from Aqueous SO2 Oxidation (wet dep) [column]	$\text{kg m}^{-2} \text{s}^{-1}$
SUSD001	txy	Sulfate Settling Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SUSD002	txy	Sulfate Settling Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SUSD003	txy	Sulfate Settling Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SUSD004	txy	Sulfate Settling Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SUSV001	txy	Sulfate Convective Scavenging Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SUSV002	txy	Sulfate Convective Scavenging Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SUSV003	txy	Sulfate Convective Scavenging Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SUSV004	txy	Sulfate Convective Scavenging Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$
SUWT001	txy	Sulfate Wet Deposition Bin 001	$\text{kg m}^{-2} \text{s}^{-1}$
SUWT002	txy	Sulfate Wet Deposition Bin 002	$\text{kg m}^{-2} \text{s}^{-1}$
SUWT003	txy	Sulfate Wet Deposition Bin 003	$\text{kg m}^{-2} \text{s}^{-1}$
SUWT004	txy	Sulfate Wet Deposition Bin 004	$\text{kg m}^{-2} \text{s}^{-1}$

tavg1_2d_aer_Nx (M2T1NXAER): Aerosol Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~476 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
BCANGSTR	tyx	Black Carbon Angstrom parameter [470-870 nm]	1
BCCMASS	tyx	Black Carbon Column Mass Density	kg m^{-2}
BCEXTTAU	tyx	Black Carbon Extinction AOT [550 nm]	1
BCFLUXU	tyx	Black Carbon column u-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
BCFLUXV	tyx	Black Carbon column v-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
BCSCATAU	tyx	Black Carbon Scattering AOT [550 nm]	1
BCSMASS	tyx	Black Carbon Surface Mass Concentration	kg m^{-3}
DMSCMASS	tyx	DMS Column Mass Density	kg m^{-2}
DMSSMASS	tyx	DMS Surface Mass Concentration	kg m^{-3}
DUANGSTR	tyx	Dust Angstrom parameter [470-870 nm]	1
DUCMASS	tyx	Dust Column Mass Density	kg m^{-2}
DUCMASS25	tyx	Dust Column Mass Density - PM 2.5	kg m^{-2}
DUEXTT25	tyx	Dust Extinction AOT [550 nm] - PM 2.5	1
DUEXTTAU	tyx	Dust Extinction AOT [550 nm]	1
DUFLUXU	tyx	Dust column u-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
DUFLUXV	tyx	Dust column v-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
DUSCAT25	tyx	Dust Scattering AOT [550 nm] - PM 2.5	1
DUSCATAU	tyx	Dust Scattering AOT [550 nm]	1
DUSMASS	tyx	Dust Surface Mass Concentration	kg m^{-3}
DUSMASS25	tyx	Dust Surface Mass Concentration - PM 2.5	kg m^{-3}
OCANGSTR	tyx	Organic Carbon Angstrom parameter [470-870 nm]	1
OCCMASS	tyx	Organic Carbon Column Mass Density	kg m^{-2}
OCEXTTAU	tyx	Organic Carbon Extinction AOT [550 nm]	1
OCFLUXU	tyx	Organic Carbon column u-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$

OCFLUXV	tyx	Organic Carbon column v-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
OCSCATAU	tyx	Organic Carbon Scattering AOT [550 nm]	1
OCSMASS	tyx	Organic Carbon Surface Mass Concentration	kg m^{-3}
SO2CMASS	tyx	SO2 Column Mass Density	kg m^{-2}
SO2SMASS	tyx	SO2 Surface Mass Concentration	kg m^{-3}
SO4CMASS	tyx	SO4 Column Mass Density	kg m^{-2}
SO4SMASS	tyx	SO4 Surface Mass Concentration	kg m^{-3}
SSANGSTR	tyx	Sea Salt Angstrom parameter [470-870 nm]	1
SSCMASS	tyx	Sea Salt Column Mass Density	kg m^{-2}
SSCMASS25	tyx	Sea Salt Column Mass Density - PM 2.5	kg m^{-2}
SSEXTT25	tyx	Sea Salt Extinction AOT [550 nm] - PM 2.5	1
SSEXTTAU	tyx	Sea Salt Extinction AOT [550 nm]	1
SSFLUXU	tyx	Sea Salt column u-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
SSFLUXV	tyx	Sea Salt column v-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
SSCAT25	tyx	Sea Salt Scattering AOT [550 nm] - PM 2.5	1
SSCATAU	tyx	Sea Salt Scattering AOT [550 nm]	1
SSSMASS	tyx	Sea Salt Surface Mass Concentration	kg m^{-3}
SSSMASS25	tyx	Sea Salt Surface Mass Concentration - PM 2.5	kg m^{-3}
SUANGSTR	tyx	SO4 Angstrom parameter [470-870 nm]	1
SUEXTTAU	tyx	SO4 Extinction AOT [550 nm]	1
SUFLUXU	tyx	SO4 column u-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
SUFLUXV	tyx	SO4 column v-wind mass flux	$\text{kg m}^{-1} \text{s}^{-1}$
SUSCATAU	tyx	SO4 Scattering AOT [550 nm]	1
TOTANGSTR	tyx	Total Aerosol Angstrom parameter [470-870 nm]	1
TOTEXTTAU	tyx	Total Aerosol Extinction AOT [550 nm]	1

TOTSCATAU	txy	Total Aerosol Scattering AOT [550 nm]	1
-----------	-----	---------------------------------------	---

tavg1_2d_chm_Nx (M2T1NXCHM): Carbon Monoxide and Ozone Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~45 MB

Name	Dim	Description	Units
COCL	txy	CO Column Burden	kg m ⁻²
COEM	txy	CO Emission	kg m ⁻² s ⁻¹
COLS	txy	CO Chemical Loss	kg m ⁻² s ⁻¹
COPD	txy	CO Chemical Production	kg m ⁻² s ⁻¹
COSC	txy	CO Surface Concentration in ppbv	1e ⁻⁹
LWI	txy	land(1) water(0) ice(2) flag	1
TO3	txy	total column ozone	Dobsons

tavg1_2d_csp_Nx (M2T1NXCSP): COSP Satellite Simulator

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~123 MB

Name	Dim	Description	Units¹
ISCCPALB	tyx	isccp cloud albedo	1
ISCCPCLDFRC	tyx	isccp total cloud area fraction	1
MDSCLDFRCH2O	tyx	modis cloud fraction water mean	1
MDSCLDFRCHI	tyx	modis cloud fraction high mean	1
MDSCLDFRCICE	tyx	modis cloud fraction ice mean	1
MDSCLDFRCLO	tyx	modis cloud fraction low mean	1
MDSCLDFRCMID	tyx	modis cloud fraction mid mean	1
MDSCLDFRCTTL	tyx	modis cloud fraction total mean	1
MDSCLDSZH2O	tyx	modis cloud particle size water mean	m
MDSCLDSZICE	tyx	modis cloud particle size ice mean	m
MDSCLDTOPPS	tyx	modis cloud top pressure total mean	Pa
MDSH2OPATH	tyx	modis liquid water path mean	Kg m ⁻²
MDSICEPATH	tyx	modis ice water path mean	Kg m ⁻²
MDSOPTHCKH2O	tyx	modis optical thickness water mean	1
MDSOPTHCKH2OLG	tyx	modis optical thickness water logmean	1
MDSOPTHCKICE	tyx	modis optical thickness ice mean	1
MDSOPTHCKICELG	tyx	modis optical thickness ice logmean	1
MDSOPTHCKTTL	tyx	modis optical thickness total mean	1
MDSOPTHCKTLLG	tyx	modis optical thickness total logmean	1

tavg1_2d_flx_Nx (M2T1NXFLX): Surface Flux Diagnostics

¹ All units in the first version of MERRA-2 COSP output were incorrectly listed as non-dimensional in the data file's metadata. This table includes corrected Units.

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~379 MB

Name	Dim	Description	Units
BSTAR	tyx	surface buoyancy scale	m s ⁻²
CDH	tyx	surface exchange coefficient for heat	kg m ⁻² s ⁻¹
CDM	tyx	surface exchange coefficient for momentum	kg m ⁻² s ⁻¹
CDQ	tyx	surface exchange coefficient for moisture	kg m ⁻² s ⁻¹
CN	tyx	surface neutral drag coefficient	1
DISPH	tyx	zero plane displacement height	m
EFLUX	tyx	total latent energy flux	W m ⁻²
EVAP	tyx	evaporation from turbulence	kg m ⁻² s ⁻¹
FRCAN	tyx	areal fraction of anvil showers	1
FRCCN	tyx	areal fraction of convective showers	1
FRCLS	tyx	areal fraction of nonanvil large scale showers	1
FRSEAICE	tyx	ice covered fraction of tile	1
GHTSKIN	tyx	Ground heating for skin temp	W m ⁻²
HFLUX	tyx	sensible heat flux from turbulence	W m ⁻²
HML	tyx	surface layer height	m
NIRDF	tyx	surface downwelling nearinfrared diffuse flux	W m ⁻²
NIRDR	tyx	surface downwelling nearinfrared beam flux	W m ⁻²
PBLH	tyx	planetary boundary layer height	m

PGENTOT	tyx	Total column production of precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PRECANV	tyx	anvil precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PRECCON	tyx	convective precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PRECLSC	tyx	nonanvil large scale precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PRECSNO	tyx	snowfall	$\text{kg m}^{-2} \text{s}^{-1}$
PRECTOT	tyx	total precipitation from atm model physics	$\text{kg m}^{-2} \text{s}^{-1}$
PRECTOTCORR	tyx	Bias corrected total precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PREVTOT	tyx	Total column re-evap/subl of precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
QLML	tyx	surface specific humidity	1
QSH	tyx	effective surface specific humidity	kg kg^{-1}
QSTAR	tyx	surface moisture scale	kg kg^{-1}
RHOA	tyx	air density at surface	kg m^{-3}
RISFC	tyx	surface bulk richardson number	1
SPEED	tyx	surface wind speed	m s^{-1}
SPEEDMAX	tyx	surface wind speed	m s^{-1}
TAUGWX	tyx	surface eastward gravity wave stress	N m^{-2}
TAUGWY	tyx	surface northward gravity wave stress	N m^{-2}
TAUX	tyx	eastward surface stress	N m^{-2}
TAUY	tyx	northward surface stress	N m^{-2}
TCZPBL	tyx	transcom planetary boundary layer height	m
TMLL	tyx	surface air temperature	K
TSH	tyx	effective surface skin temperature	K
TSTAR	tyx	surface temperature scale	K
ULML	tyx	surface eastward wind	m s^{-1}
USTAR	tyx	surface velocity scale	m s^{-1}

VLML	tyx	surface northward wind	m s^{-1}
ZOH	tyx	surface roughness for heat	m
ZOM	tyx	surface roughness	m

tavg1_2d_int_Nx (M2T1NXINT): Vertically Integrated Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~1.3 GB

Name	Dim	Description	Units
AUTCNVRN	tyx	autoconversion loss of cloud water	$\text{kg m}^{-2} \text{s}^{-1}$
BKGERR	tyx	vertically integrated kinetic energy residual for BKG energy conservation	W m^{-2}
COLCNVRN	tyx	accretion loss of cloud water to rain	$\text{kg m}^{-2} \text{s}^{-1}$
COLCNVSN	tyx	accretion loss of cloud water to snow	$\text{kg m}^{-2} \text{s}^{-1}$
CUCNVCI	tyx	convective source of cloud ice	$\text{kg m}^{-2} \text{s}^{-1}$
CUCNVCL	tyx	convective source of cloud water	$\text{kg m}^{-2} \text{s}^{-1}$
CUCNVRN	tyx	convective production of rain water	$\text{kg m}^{-2} \text{s}^{-1}$
DHDT_ANA	tyx	total potential energy tendency due to analysis	W m^{-2}
DHDT_BKG	tyx	vertically integrated potential energy tendency due to gravity wave background	W m^{-2}
DHDT_CUF	tyx	vertically integrated potential energy tendency due to cumulus friction	W m^{-2}
DHDT_DYN	tyx	vertically integrated potential energy tendency due to dynamics	W m^{-2}

DHDT_FRI	tyx	vertically integrated potential energy tendency due to friction	W m^{-2}
DHDT_GWD	tyx	vertically integrated potential energy tendency across gwd	W m^{-2}
DHDT_MST	tyx	vertically integrated potential energy tendency across moist	W m^{-2}
DHDT_ORO	tyx	vertically integrated potential energy tendency due to orographic gravity waves	W m^{-2}
DHDT_PHY	tyx	total potential energy tendency due to physics	W m^{-2}
DHDT_RAD	tyx	vertically integrated potential energy tendency across radiation	W m^{-2}
DHDT_RAY	tyx	vertically integrated potential energy tendency due to Rayleigh friction	W m^{-2}
DHDT_RES	tyx	vertically integrated cpt tendency residual	W m^{-2}
DHDT_TRB	tyx	vertically integrated potential energy tendency across turbulence	W m^{-2}
DKDT_ANA	tyx	total kinetic energy tendency due to analysis	W m^{-2}
DKDT_BKG	tyx	vertically integrated kinetic energy dissipation due to gravity wave background	W m^{-2}
DKDT_DYN	tyx	vertically integrated kinetic energy tendency due to dynamics	W m^{-2}
DKDT_GWD	tyx	vertically integrated kinetic energy tendency across gwd	W m^{-2}
DKDT_GWDRES	tyx	vertically integrated kinetic energy residual for total energy conservation	W m^{-2}
DKDT_INT	tyx	vertically integrated kinetic energy dissipation due to diffusion	W m^{-2}
DKDT_MST	tyx	vertically integrated kinetic energy tendency across moist	W m^{-2}
DKDT_ORO	tyx	vertically integrated kinetic energy dissipation due to orographic gravity waves	W m^{-2}
DKDT_PHY	tyx	vertically integrated kinetic energy tendency due to physics	W m^{-2}
DKDT_PHYPHY	tyx	vertically integrated kinetic energy tendency across physics	W m^{-2}

DKDT_RAY	tyx	vertically integrated kinetic energy dissipation due to Rayleigh friction	W m^{-2}
DKDT_SRF	tyx	vertically integrated kinetic energy dissipation due to surface friction	W m^{-2}
DKDT_TOP	tyx	vertically integrated kinetic energy dissipation due to topographic friction	W m^{-2}
DKDT_TRB	tyx	vertically integrated kinetic energy tendency across turbulence	W m^{-2}
DMDT_ANA	tyx	vertically integrated mass tendency due to analysis	$\text{kg m}^{-2} \text{s}^{-1}$
DMDT_DYN	tyx	vertically integrated mass tendency due to dynamics	$\text{kg m}^{-2} \text{s}^{-1}$
DMDT_PHY	tyx	vertically integrated mass tendency due to physics	$\text{kg m}^{-2} \text{s}^{-1}$
DOXDT_ANA	tyx	vertically integrated ozone tendency due to analysis	$\text{kg m}^{-2} \text{s}^{-1}$
DOXDT_CHM	tyx	vertically integrated odd oxygen tendency due to chemistry	$\text{kg m}^{-2} \text{s}^{-1}$
DOXDT_DYN	tyx	vertically integrated ozone tendency due to dynamics	$\text{kg m}^{-2} \text{s}^{-1}$
DOXDT_FIL	tyx	vertically integrated ox adjustment from filling	$\text{kg m}^{-2} \text{s}^{-1}$
DOXDT_PHY	tyx	vertically integrated odd oxygen tendency due to physics	$\text{kg m}^{-2} \text{s}^{-1}$
DPDT_ANA	tyx	mountain work tendency due to analysis	W m^{-2}
DPDT_DYN	tyx	mountain work tendency due to dynamics	W m^{-2}
DPDT_PHY	tyx	mountain work tendency due to physics	W m^{-2}
DQIDT_ANA	tyx	vertically integrated ice water tendency due to analysis	$\text{kg m}^{-2} \text{s}^{-1}$
DQIDT_DYN	tyx	vertically integrated ice water tendency due to dynamics	$\text{kg m}^{-2} \text{s}^{-1}$
DQIDT_FIL	tyx	vertically integrated qi adjustment from filling	$\text{kg m}^{-2} \text{s}^{-1}$
DQIDT_MST	tyx	vertically integrated ice tendency due to moist processes	$\text{kg m}^{-2} \text{s}^{-1}$
DQIDT_PHY	tyx	vertically integrated ice tendency due to physics	$\text{kg m}^{-2} \text{s}^{-1}$
DQLDT_ANA	tyx	vertically integrated liquid water tendency due to analysis	$\text{kg m}^{-2} \text{s}^{-1}$
DQLDT_DYN	tyx	vertically integrated liquid water tendency due to dynamics	$\text{kg m}^{-2} \text{s}^{-1}$

DQLDT_FIL	tyx	vertically integrated ql adjustment from filling	$\text{kg m}^{-2} \text{s}^{-1}$
DQLDT_MST	tyx	vertically integrated liquid water tendency due to moist processes	$\text{kg m}^{-2} \text{s}^{-1}$
DQLDT_PHY	tyx	vertically integrated liquid water tendency due to physics	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_ANA	tyx	vertically integrated water vapor tendency due to analysis	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_CHM	tyx	vertically integrated water vapor tendency due to chemistry	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_DYN	tyx	vertically integrated water vapor tendency due to dynamics	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_FIL	tyx	vertically integrated qv adjustment from filling	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_MST	tyx	vertically integrated water vapor tendency due to moist processes	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_PHY	tyx	vertically integrated water vapor tendency due to physics	$\text{kg m}^{-2} \text{s}^{-1}$
DQVDT_TRB	tyx	vertically integrated water vapor tendency due to turbulence	$\text{kg m}^{-2} \text{s}^{-1}$
DTHDT_ANA	tyx	vertically integrated THV tendency due to analysis	$\text{K kg m}^{-2} \text{s}^{-1}$
DTHDT_DYN	tyx	vertically integrated THV tendency due to dynamics	$\text{K kg m}^{-2} \text{s}^{-1}$
DTHDT_PHY	tyx	vertically integrated THV tendency due to physics	$\text{K kg m}^{-2} \text{s}^{-1}$
EVAP	tyx	evaporation from turbulence	$\text{kg m}^{-2} \text{s}^{-1}$
EVPCL	tyx	evaporation loss of cloud water	$\text{kg m}^{-2} \text{s}^{-1}$
EVPRN	tyx	evaporation loss of precip water	$\text{kg m}^{-2} \text{s}^{-1}$
FRZCL	tyx	net freezing of cloud condensate	$\text{kg m}^{-2} \text{s}^{-1}$
FRZRN	tyx	net freezing of precip condensate	$\text{kg m}^{-2} \text{s}^{-1}$
HFLUX	tyx	sensible heat flux from turbulence	W m^{-2}
LSCNVCI	tyx	statistical source of cloud ice	$\text{kg m}^{-2} \text{s}^{-1}$
LSCNVCL	tyx	statistical source of cloud water	$\text{kg m}^{-2} \text{s}^{-1}$
LSCNVRN	tyx	spurious rain from RH cleanup	$\text{kg m}^{-2} \text{s}^{-1}$
LWGNET	tyx	surface net downward longwave flux	W m^{-2}
LWTNET	tyx	upwelling longwave flux at toa	W m^{-2}

PRECCU	tyx	convective rainfall	$\text{kg m}^{-2} \text{s}^{-1}$
PRECLS	tyx	large scale rainfall	$\text{kg m}^{-2} \text{s}^{-1}$
PRECSN	tyx	snowfall	$\text{kg m}^{-2} \text{s}^{-1}$
QTFILL	tyx	vertically integrated total water adjustment from filling	$\text{kg m}^{-2} \text{s}^{-1}$
SDMCI	tyx	sedimentation loss of cloud ice	$\text{kg m}^{-2} \text{s}^{-1}$
SUBCI	tyx	sumblimation loss of cloud ice	$\text{kg m}^{-2} \text{s}^{-1}$
SUBSN	tyx	sumblimation loss of precip ice	$\text{kg m}^{-2} \text{s}^{-1}$
SWNETSRF	tyx	surface net downward shortwave flux	W m^{-2}
SWNETTOA	tyx	toa net downward shortwave flux	W m^{-2}
UFLXCPT	tyx	eastward flux of atmospheric enthalpy	$\text{J m}^{-1} \text{s}^{-1}$
UFLXKE	tyx	eastward flux of atmospheric kinetic energy	$\text{J m}^{-1} \text{s}^{-1}$
UFLXPHI	tyx	eastward flux of atmospheric potential energy	$\text{J m}^{-1} \text{s}^{-1}$
UFLXQI	tyx	eastward flux of atmospheric ice	$\text{kg m}^{-1} \text{s}^{-1}$
UFLXQL	tyx	eastward flux of atmospheric liquid water	$\text{kg m}^{-1} \text{s}^{-1}$
UFLXQV	tyx	eastward flux of atmospheric water vapor	$\text{kg m}^{-1} \text{s}^{-1}$
VFLXCPT	tyx	northward flux of atmospheric enthalpy	$\text{J m}^{-1} \text{s}^{-1}$
VFLXKE	tyx	northward flux of atmospheric kinetic energy	$\text{J m}^{-1} \text{s}^{-1}$
VFLXPHI	tyx	northward flux of atmospheric potential energy	$\text{J m}^{-1} \text{s}^{-1}$
VFLXQI	tyx	northward flux of atmospheric ice	$\text{kg m}^{-1} \text{s}^{-1}$
VFLXQL	tyx	northward flux of atmospheric liquid water	$\text{kg m}^{-1} \text{s}^{-1}$
VFLXQV	tyx	northward flux of atmospheric water vapor	$\text{kg m}^{-1} \text{s}^{-1}$

tavg1_2d_lfo_Nx (M2T1NXLFO): Land Surface Forcings

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *time*=24

Granule Size: ~59 MB

Name	Dim	Description	Units
LWGAB	tyx	surface absorbed longwave radiation	W m ⁻²
PARDF	tyx	surface downwelling par diffuse flux	W m ⁻²
PARDR	tyx	surface downwelling par beam flux	W m ⁻²
PRECCUCORR	tyx	liquid water convective precipitation, bias corrected	kg m ⁻² s ⁻¹
PRECLSCORR	tyx	liquid water large scale precipitation, bias corrected	kg m ⁻² s ⁻¹
PRECSNOCORR	tyx	Snowfall, bias corrected	kg m ⁻² s ⁻¹
SWGDN	tyx	Incident shortwave land	W m ⁻²
SWLAND	tyx	Net shortwave land	W m ⁻²

tavg1_2d_Ind_Nx (M2T1NXLND): Land Surface Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: *longitude*=576, *latitude*=361, *time*=24

Granule Size: ~200 MB

Name	Dim	Description	Units
BASEFLOW	tyx	baseflow flux	kg m ⁻² s ⁻¹
ECHANGE	tyx	rate of change of total land energy	W m ⁻²
EVLAND	tyx	Evaporation land	kg m ⁻² s ⁻¹
EVPINTR	tyx	interception loss energy flux	W m ⁻²

EVPSBLN	txy	snow ice evaporation energy flux	W m^{-2}
EVPSOIL	txy	baresoil evap energy flux	W m^{-2}
EVPTRNS	txy	transpiration energy flux	W m^{-2}
FRSAT	txy	fractional area of saturated zone	1
FRSNO	txy	fractional area of land snowcover	1
FRUNST	txy	fractional area of unsaturated zone	1
FRWLT	txy	fractional area of wilting zone	1
GHLAND	txy	Ground heating land	W m^{-2}
GRN	txy	greeness fraction	1
GWETPROF	txy	ave prof soil moisture	1
GWETROOT	txy	root zone soil wetness	1
GWETTOP	txy	surface soil wetness	1
LAI	txy	leaf area index	1
LHLAND	txy	Latent heat flux land	W m^{-2}
LWLAND	txy	Net longwave land	W m^{-2}
PARDFLAND	txy	surface downwelling par diffuse flux	W m^{-2}
PARDRLAND	txy	surface downwelling par beam flux	W m^{-2}
PRECSNOLAND	txy	snowfall land; bias corrected	$\text{kg m}^{-2} \text{s}^{-1}$
PRECTOTLAND	txy	Total precipitation land; bias corrected	$\text{kg m}^{-2} \text{s}^{-1}$
PRMC	txy	water profile	$\text{m}^{-3} \text{m}^{-3}$
QINFIL	txy	Soil water infiltration rate	$\text{kg m}^{-2} \text{s}^{-1}$
RUNOFF	txy	overland runoff including throughflow	$\text{kg m}^{-2} \text{s}^{-1}$
RZMC	txy	water root zone	$\text{m}^{-3} \text{m}^{-3}$
SFMC	txy	water surface layer	$\text{m}^{-3} \text{m}^{-3}$
SHLAND	txy	Sensible heat flux land	W m^{-2}

SMLAND	txy	Snowmelt flux land	$\text{kg m}^{-2} \text{s}^{-1}$
SNODP	txy	snow depth	m
SNOMAS	txy	Total snow storage land	kg m^{-2}
SPLAND	txy	rate of spurious land energy source	W m^{-2}
SPSNOW	txy	rate of spurious snow energy	W m^{-2}
SPWATR	txy	rate of spurious land water source	$\text{kg m}^{-2} \text{s}^{-1}$
SWLAND	txy	Net shortwave land	W m^{-2}
TELAND	txy	Total energy storage land	J m^{-2}
TPSNOW	txy	surface temperature of snow	K
TSAT	txy	surface temperature of saturated zone	K
TSOIL1	txy	soil temperatures layer 1	K
TSOIL2	txy	soil temperatures layer 2	K
TSOIL3	txy	soil temperatures layer 3	K
TSOIL4	txy	soil temperatures layer 4	K
TSOIL5	txy	soil temperatures layer 5	K
TSOIL6	txy	soil temperatures layer 6	K
TSURF	txy	surface temperature of land incl snow	K
TUNST	txy	surface temperature of unsaturated zone	K
TWLAND	txy	Avail water storage land	kg m^{-2}
TWLT	txy	surface temperature of wilted zone	K
WCHANGE	txy	rate of change of total land water	$\text{kg m}^{-2} \text{s}^{-1}$

tavg1_2d_ocn_Nx (M2T1NXOCN): Ocean Surface Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~113 MB

Name	Dim	Description	Units
EFLUXICE	tyx	sea ice latent energy flux	W m ⁻²
EFLUXWTR	tyx	open water latent energy flux	W m ⁻²
FRSEAICE	tyx	ice covered fraction of tile	1
HFLUXICE	tyx	sea ice upward sensible heat flux	W m ⁻²
HFLUXWTR	tyx	open water upward sensible heat flux	W m ⁻²
LWGNTICE	tyx	sea ice net downward longwave flux	W m ⁻²
LWGNTWTR	tyx	open water net downward longwave flux	W m ⁻²
PRECSNOOCN	tyx	ocean snowfall	kg m ⁻² s ⁻¹
QV10M	tyx	10-meter specific humidity	kg kg ⁻¹
RAINOCN	tyx	ocean rainfall	kg m ⁻² s ⁻¹
SWGNTICE	tyx	sea ice net downward shortwave flux	W m ⁻²
SWGNTWTR	tyx	open water net downward shortwave flux	W m ⁻²
T10M	tyx	10-meter air temperature	K
TAUXICE	tyx	eastward stress over ice	N m ⁻²
TAUXWTR	tyx	eastward stress over water	N m ⁻²
TAUYICE	tyx	northward stress over ice	N m ⁻²

TAUYWTR	tyx	northward stress over water	N m ⁻²
TSKINICE	tyx	sea ice skin temperature	K
TSKINWTR	tyx	open water skin temperature	K
U10M	tyx	10-meter eastward wind	m s ⁻¹
V10M	tyx	10-meter northward wind	m s ⁻¹

tavg1_2d_rad_Nx (M2T1NXRAD): Radiation Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~209 MB

Name	Dim	Description	Units
ALBEDO	tyx	surface albedo	1
ALBNIRDF	tyx	surface albedo for near infrared diffuse	1
ALBNIRDR	tyx	surface albedo for near infrared beam	1
ALBVISDF	tyx	surface albedo for visible diffuse	1
ALBVISDR	tyx	surface albedo for visible beam	1
CLDHGH	tyx	cloud area fraction for high clouds	1
CLDLLOW	tyx	cloud area fraction for low clouds	1
CLDMID	tyx	cloud area fraction for middle clouds	1
CLDTOT	tyx	total cloud area fraction	1
EMIS	tyx	surface emissivity	1
LWGAB	tyx	surface absorbed longwave radiation	W m ⁻²

LWGABCLR	txy	surface absorbed longwave radiation assuming clear sky	W m^{-2}
LWGABCLRCLN	txy	surface absorbed longwave radiation assuming clear sky and no aerosol	W m^{-2}
LWGEM	txy	longwave flux emitted from surface	W m^{-2}
LWGNT	txy	surface net downward longwave flux	W m^{-2}
LWGNTCLR	txy	surface net downward longwave flux assuming clear sky	W m^{-2}
LWGNTCLRCLN	txy	surface net downward longwave flux assuming clear sky and no aerosol	W m^{-2}
LWTUP	txy	upwelling longwave flux at toa	W m^{-2}
LWTUPCLR	txy	upwelling longwave flux at toa assuming clear sky	W m^{-2}
LWTUPCLRCLN	txy	upwelling longwave flux at toa assuming clear sky and no aerosol	W m^{-2}
SWGDN	txy	surface incoming shortwave flux	W m^{-2}
SWGDNCLR	txy	surface incoming shortwave flux assuming clear sky	W m^{-2}
SWGNT	txy	surface net downward shortwave flux	W m^{-2}
SWGNTCLN	txy	surface net downward shortwave flux assuming no aerosol	W m^{-2}
SWGNTCLR	txy	surface net downward shortwave flux assuming clear sky	W m^{-2}
SWGNTCLRCLN	txy	surface net downward shortwave flux assuming clear sky and no aerosol	W m^{-2}
SWTDN	txy	toa incoming shortwave flux	W m^{-2}
SWTNT	txy	toa net downward shortwave flux	W m^{-2}
SWTNCLN	txy	toa net downward shortwave flux assuming no aerosol	W m^{-2}
SWTNCLR	txy	toa net downward shortwave flux assuming clear sky	W m^{-2}
SWTNCLRCLN	txy	toa net downward shortwave flux assuming clear sky and no aerosol	W m^{-2}
TAUHGH	txy	in cloud optical thickness of high clouds(EXPORT)	1
TAULOW	txy	in cloud optical thickness of low clouds	1

TAUMID	tyx	in cloud optical thickness of middle clouds	1
TAUTOT	tyx	in cloud optical thickness of all clouds	1
TS	tyx	surface skin temperature	K

tavg1_2d_slv_Nx (M2T1NXSLV): Single-Level Diagnostics

Frequency: 1-hourly from 00:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=24

Granule Size: ~393 MB

Name	Dim	Description	Units
CLDPRS	tyx	cloud top pressure	Pa
CLDTMP	tyx	cloud top temperature	K
DISPH	tyx	zero plane displacement height	m
H1000	tyx	height at 1000 mb	m
H250	tyx	height at 250 hPa	m
H500	tyx	height at 500 hPa	m
H850	tyx	height at 850 hPa	m
OMEGA500	tyx	omega at 500 hPa	Pa s ⁻¹
PBLTOP	tyx	pbltop pressure	Pa
PS	tyx	surface pressure	Pa
Q250	tyx	specific humidity at 250 hPa	kg kg ⁻¹
Q500	tyx	specific humidity at 500 hPa	kg kg ⁻¹

Q850	tyx	specific humidity at 850 hPa	kg kg^{-1}
QV10M	tyx	10-meter specific humidity	kg kg^{-1}
QV2M	tyx	2-meter specific humidity	kg kg^{-1}
SLP	tyx	sea level pressure	Pa
T10M	tyx	10-meter air temperature	K
T250	tyx	air temperature at 250 hPa	K
T2M	tyx	2-meter air temperature	K
T2MDEW	tyx	dew point temperature at 2 m	K
T2MWET	tyx	wet bulb temperature at 2 m	K
T500	tyx	air temperature at 500 hPa	K
T850	tyx	air temperature at 850 hPa	K
TO3	tyx	total column ozone	Dobsons
TOX	tyx	total column odd oxygen	kg m^{-2}
TQI	tyx	total precipitable ice water	kg m^{-2}
TQL	tyx	total precipitable liquid water	kg m^{-2}
TQV	tyx	total precipitable water vapor	kg m^{-2}
TROPPB	tyx	tropopause pressure based on blended estimate	Pa
TROPPT	tyx	tropopause pressure based on thermal estimate	Pa
TROPPV	tyx	tropopause pressure based on EPV estimate	Pa
TROPQ	tyx	tropopause specific humidity using blended TROPP estimate	kg kg^{-1}
TROPT	tyx	tropopause temperature using blended TROPP estimate	K
TS	tyx	surface skin temperature	K
U10M	tyx	10-meter eastward wind	m s^{-1}
U250	tyx	eastward wind at 250 hPa	m s^{-1}
U2M	tyx	2-meter eastward wind	m s^{-1}

U500	tyx	eastward wind at 500 hPa	m s^{-1}
U50M	tyx	eastward wind at 50 meters	m s^{-1}
U850	tyx	eastward wind at 850 hPa	m s^{-1}
V10M	tyx	10-meter northward wind	m s^{-1}
V250	tyx	northward wind at 250 hPa	m s^{-1}
V2M	tyx	2-meter northward wind	m s^{-1}
V500	tyx	northward wind at 500 hPa	m s^{-1}
V50M	tyx	northward wind at 50 meters	m s^{-1}
V850	tyx	northward wind at 850 hPa	m s^{-1}
ZLCL	tyx	lifting condensation level	m

tavg3_2d_glc_Nx (M2T3NXGLC): Land Ice Surface Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 2D, single-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, time=8

Granule Size: ~4 MB

Name	Dim	Description	Units
ASNOW,GL	tyx	fractional area of glaciated surface snowcover	1
RUNOFF	tyx	runoff flux	$\text{kg m}^{-2} \text{s}^{-1}$
SNICEALB	tyx	aggregated snow ice broadband albedo	1
SNOMAS,GL	tyx	snow mass over glaciated surface	kg m^{-2}
SNOWDP,GL	tyx	snow depth over glaciated surface	m

WESNEXT	txy	total snow mass residual due to densification	$\text{kg m}^{-2} \text{s}^{-1}$
WESNSC	txy	top snow layer mass change due to sub con	$\text{kg m}^{-2} \text{s}^{-1}$

Time Averaged Three-Dimensional Collections

tavg3_3d_asm_Nv (M2T3NVASM): Assimilated Meteorological Fields

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=72, time=8

Granule Size: ~2.1 GB

Name	Dim	Description	Units
CLOUD	tzyx	cloud fraction for radiation	1
DELP	tzyx	pressure thickness	Pa
EPV	tzyx	ertels potential vorticity	$\text{K m}^2 \text{kg}^{-1} \text{s}^{-1}$
H	tzyx	mid layer heights	m
O3	tzyx	ozone mass mixing ratio	kg kg^{-1}
OMEGA	tzyx	vertical pressure velocity	Pa s^{-1}
PHIS	tyx	surface geopotential height	$\text{m}^2 \text{s}^{-2}$
PL	tzyx	mid level pressure	Pa
PS	tyx	surface pressure	Pa
QI	tzyx	mass fraction of cloud ice water	kg kg^{-1}
QL	tzyx	mass fraction of cloud liquid water	kg kg^{-1}
QV	tzyx	specific humidity	kg kg^{-1}

RH	tzyx	relative humidity after moist	1
SLP	tyx	sea level pressure	Pa
T	tzyx	air temperature	K
U	tzyx	eastward wind	m s ⁻¹
V	tzyx	northward wind	m s ⁻¹

tavg3_3d_cld_Np (M2T3NPCLD): Cloud Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~446 MB

Name	Dim	Description	Units
CFCU	tzyx	updraft areal fraction	1
CLOUD	tzyx	cloud fraction for radiation	1
DTRAIN	tzyx	detraining mass flux	kg m ⁻² s ⁻¹
INCLOUDQI	tzyx	in cloud cloud ice for radiation	kg kg ⁻¹
INCLOUDQL	tzyx	in cloud cloud liquid for radiation	kg kg ⁻¹
QI	tzyx	mass fraction of cloud ice water	kg kg ⁻¹
QL	tzyx	mass fraction of cloud liquid water	kg kg ⁻¹
RH	tzyx	relative humidity after moist	1
TAUCLI	tzyx	in cloud optical thickness for ice clouds	1
TAUCLW	tzyx	in cloud optical thickness for liquid clouds	1

tavg3_3d_cld_Nv (M2T3NVCLD): Cloud Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=72, time=8

Granule Size: ~691 MB

Name	Dim	Description	Units
CFCU	tzyx	updraft areal fraction	1
CLOUD	tzyx	cloud fraction for radiation	1
DELP	tzyx	pressure thickness	Pa
DTRAIN	tzyx	detraining mass flux	kg m ⁻² s ⁻¹
INCLOUDQI	tzyx	in cloud cloud ice for radiation	kg kg ⁻¹
INCLOUDQL	tzyx	in cloud cloud liquid for radiation	kg kg ⁻¹
PS	tyx	surface pressure	Pa
QI	tzyx	mass fraction of cloud ice water	kg kg ⁻¹
QL	tzyx	mass fraction of cloud liquid water	kg kg ⁻¹
RH	tzyx	relative humidity after moist	1
TAUCLI	tzyx	in cloud optical thickness for ice clouds	1
TAUCLW	tzyx	in cloud optical thickness for liquid clouds	1

tavg3_3d_mst_Ne (M2T3NEMST): Moist Processes Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level edge, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=73, time=8

Granule Size: ~253 MB

Name	Dim	Description	Units
CMFMC	tzyx	cumulative mass flux	kg m ⁻² s ⁻¹
PFICU	tzyx	3D flux of ice convective precipitation	kg m ⁻² s ⁻¹
PFILSAN	tzyx	3D flux of ice nonconvective precipitation	kg m ⁻² s ⁻¹
PFLCU	tzyx	3D flux of liquid convective precipitation	kg m ⁻² s ⁻¹
PFLLSAN	tzyx	3D flux of liquid nonconvective precipitation	kg m ⁻² s ⁻¹
PLE	tzyx	edge pressure	Pa

tavg3_3d_mst_Np (M2T3NPMST): Moist Processes Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~305 MB

Name	Dim	Description	Units
------	-----	-------------	-------

CMFMC	tzyx	cumulative mass flux	$\text{kg m}^{-2} \text{s}^{-1}$
DQRCU	tzyx	convective rainwater source	$\text{kg kg}^{-1} \text{s}^{-1}$
DQRSLAN	tzyx	large scale rainwater source	$\text{kg kg}^{-1} \text{s}^{-1}$
PFICU	tzyx	3D flux of ice convective precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PFILSAN	tzyx	3D flux of ice nonconvective precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PFLCU	tzyx	3D flux of liquid convective precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
PFLLSAN	tzyx	3D flux of liquid nonconvective precipitation	$\text{kg m}^{-2} \text{s}^{-1}$
REEVAPCN	tzyx	evap subl of convective precipitation	$\text{kg kg}^{-1} \text{s}^{-1}$
REEVAPLSAN	tzyx	evap subl of non convective precipitation	$\text{kg kg}^{-1} \text{s}^{-1}$

tavg3_3d_mst_Nv (M2T3NVMST): Moist Processes Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=72, time=8

Granule Size: ~275 MB

Name	Dim	Description	Units
DELP	tzyx	pressure thickness	Pa
DQRCU	tzyx	convective rainwater source	$\text{kg kg}^{-1} \text{s}^{-1}$
DQRSLAN	tzyx	large scale rainwater source	$\text{kg kg}^{-1} \text{s}^{-1}$
PS	tyx	surface pressure	Pa
REEVAPCN	tzyx	evap subl of convective precipitation	$\text{kg kg}^{-1} \text{s}^{-1}$
REEVAPLSAN	tzyx	evap subl of non convective precipitation	$\text{kg kg}^{-1} \text{s}^{-1}$

tavg3_3d_nav_Ne (M2T3NENAV): Vertical Coordinates (Edges)

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level edge, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=73, time=8

Granule Size: ~185 MB

Name	Dim	Description	Units
PLE	tzyx	edge pressure	Pa
ZLE	tzyx	edge heights	m

tavg3_3d_odt_Np (M2T3NPODT): Ozone Tendencies

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~502 MB

Name	Dim	Description	Units
DOXDTANA	tzyx	total ozone analysis tendency	mol mol ⁻¹ s ⁻¹
DOXDTCHM	tzyx	tendency of odd oxygen mixing ratio due to chemistry	mol mol ⁻¹ s ⁻¹
DOXDTDYN	tzyx	tendency of ozone due to dynamics	kg kg ⁻¹ s ⁻¹
DOXDTMST	tzyx	tendency of odd oxygen due to moist processes	kg kg ⁻¹ s ⁻¹
DOXDTTRB	tzyx	tendency of odd oxygen due to turbulence	kg kg ⁻¹ s ⁻¹

tavg3_3d_qdt_Np (M2T3NPQDT): Moist Tendencies

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~693 MB

Name	Dim	Description	Units
DQIDTDYN	tzyx	tendency of ice water due to dynamics	kg kg ⁻¹ s ⁻¹
DQIDTMST	tzyx	total ice water tendency due to moist	kg kg ⁻¹ s ⁻¹
DQIDTTRB	tzyx	tendency of frozen condensate due to turbulence	kg kg ⁻¹ s ⁻¹
DQLTDYN	tzyx	tendency of liquid water due to dynamics	kg kg ⁻¹ s ⁻¹
DQLTMST	tzyx	total liq water tendency due to moist	kg kg ⁻¹ s ⁻¹
DQLTTRB	tzyx	tendency of liquid condensate due to turbulence	kg kg ⁻¹ s ⁻¹
DQVDTANA	tzyx	total specific humidity analysis tendency	kg kg ⁻¹ s ⁻¹
DQVDTCHM	tzyx	tendency of water vapor mixing ratio due to chemistry	kg kg ⁻¹ s ⁻¹
DQVDTDYN	tzyx	tendency of specific humidity due to dynamics	kg kg ⁻¹ s ⁻¹
DQVDTMST	tzyx	specific humidity tendency due to moist	kg kg ⁻¹ s ⁻¹
DQVDTTRB	tzyx	tendency of specific humidity due to turbulence	kg kg ⁻¹ s ⁻¹

tavg3_3d_rad_Np (M2T3NPRA): Radiation Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~422 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
CLOUD	tzyx	cloud fraction for radiation	1
DTDTLWR	tzyx	air temperature tendency due to longwave	K s ⁻¹
DTDTLWRCLR	tzyx	air temperature tendency due to longwave for clear skies	K s ⁻¹
DTDTSWR	tzyx	air temperature tendency due to shortwave	K s ⁻¹
DTDTSWRCLR	tzyx	air temperature tendency due to shortwave for clear skies	K s ⁻¹

tavg3_3d_rad_Nv (M2T3NVRAD): Radiation Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=72, time=8

Granule Size: ~758 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
CLOUD	tzyx	cloud fraction for radiation	1
DELP	tzyx	pressure thickness	Pa
DTDTLWR	tzyx	air temperature tendency due to longwave	K s ⁻¹
DTDTLWRCLR	tzyx	air temperature tendency due to longwave for clear skies	K s ⁻¹
DTDTSWR	tzyx	air temperature tendency due to shortwave	K s ⁻¹
DTDTSWRCLR	tzyx	air temperature tendency due to shortwave for clear skies	K s ⁻¹
PS	tyx	surface pressure	Pa

tavg3_3d_tdt_Np (M2T3NPTDT): Temperature Tendencies

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~1016 MB

Name	Dim	Description	Units
DTDTANA	tzyx	total temperature analysis tendency	K s ⁻¹
DTDTDYN	tzyx	tendency of air temperature due to dynamics	K s ⁻¹
DTDTFRI	tzyx	tendency of air temperature due to friction	K s ⁻¹
DTDTGWD	tzyx	air temperature tendency due to GWD	K s ⁻¹
DTDTMST	tzyx	tendency of air temperature due to moist processes	K s ⁻¹
DTDTRAD	tzyx	tendency of air temperature due to radiation	K s ⁻¹
DTDTTOT	tzyx	tendency of air temperature due to physics	K s ⁻¹
DTDTTRB	tzyx	tendency of air temperature due to turbulence	K s ⁻¹

tavg3_3d_trb_Ne (M2T3NETRB): Turbulence Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, model-level edge, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=73, time=8

Granule Size: ~1.5 GB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
KH	tzyx	total scalar diffusivity	$\text{m}^2 \text{s}^{-1}$
KHLK	tzyx	entrainment heat diffusivity from Lock	$\text{m}^2 \text{s}^{-1}$
KHLS	tzyx	scalar diffusivity from Louis	$\text{m}^2 \text{s}^{-1}$
KHRAD	tzyx	radiation driven scalar diffusivity from Lock scheme	$\text{m}^2 \text{s}^{-1}$
KHSFC	tzyx	surface driven scalar diffusivity from Lock scheme	$\text{m}^2 \text{s}^{-1}$
KM	tzyx	total momentum diffusivity	$\text{m}^2 \text{s}^{-1}$
KMLK	tzyx	entrainment momentum diffusivity from Lock	$\text{m}^2 \text{s}^{-1}$
KMLS	tzyx	momentum diffusivity from Louis	$\text{m}^2 \text{s}^{-1}$
PLE	tzyx	edge pressure	Pa
RI	tzyx	Richardson number from Louis	1

tavg3_3d_trb_Np (M2T3NPTRB): Turbulence Diagnostics

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~820 MB

<i>Name</i>	<i>Dim</i>	<i>Description</i>	<i>Units</i>
KH	tzyx	total scalar diffusivity	$\text{m}^2 \text{s}^{-1}$
KHLK	tzyx	entrainment heat diffusivity from Lock	$\text{m}^2 \text{s}^{-1}$
KHLS	tzyx	scalar diffusivity from Louis	$\text{m}^2 \text{s}^{-1}$
KHRAD	tzyx	radiation driven scalar diffusivity from Lock scheme	$\text{m}^2 \text{s}^{-1}$

KHSFC	tzyx	surface driven scalar diffusivity from Lock scheme	$\text{m}^2 \text{s}^{-1}$
KM	tzyx	total momentum diffusivity	$\text{m}^2 \text{s}^{-1}$
KMLK	tzyx	entrainment momentum diffusivity from Lock	$\text{m}^2 \text{s}^{-1}$
KMLS	tzyx	momentum diffusivity from Louis	$\text{m}^2 \text{s}^{-1}$
RI	tzyx	Richardson number from Louis	1

tavg3_3d_udt_Np (M2T3NPUDT): Wind Tendencies

Frequency: 3-hourly from 01:30 UTC (time-averaged)

Spatial Grid: 3D, pressure-level, full horizontal resolution

Dimensions: longitude=576, latitude=361, level=42, time=8

Granule Size: ~1.1 GB

Name	Dim	Description	Units
DUDTANA	tzyx	total eastward wind analysis tendency	m s^{-2}
DUDTDYN	tzyx	tendency of eastward wind due to dynamics	m s^{-2}
DUDTGWD	tzyx	tendency of eastward wind due to GWD	m s^{-2}
DUDTMST	tzyx	zonal wind tendency due to moist	m s^{-2}
DUDTTRB	tzyx	tendency of eastward wind due to turbulence	m s^{-2}
DVDTANA	tzyx	total northward wind analysis tendency	m s^{-2}
DVDTDYN	tzyx	tendency of northward wind due to dynamics	m s^{-2}
DVDTGWD	tzyx	tendency of northward wind due to GWD	m s^{-2}
DVDTMST	tzyx	meridional wind tendency due to moist	m s^{-2}
DVDTTRB	tzyx	tendency of northward wind due to turbulence	m s^{-2}

Digital Object Identifier (DOI) Tables

Digital Object Identifiers are attached to each MERRA-2 variable collection. Users should cite the data used in research papers following these DOI's.

Example Citation:

Global Modeling and Assimilation Office (GMAO) (2015), *inst3_3d_asm_Cp: MERRA-2 3D IAU State, Meteorology Instantaneous 3-hourly (p-coord, 0.625x0.5L42), version 5.12.4*, Greenbelt, MD, USA: Goddard Space Flight Center Distributed Active Archive Center (GSFC DAAC), Accessed [Enter User Data Access Date](#) at doi: 10.5067/VJAFPLI1CSIV.

Note that complete citations for each file collection are provided at the GES-DISC download site.

Table 6.1 DOI's for MERRA-2 hourly file collections.

Descriptive ShortName	ShortName	DOI NAME
inst1_2d_asm_Nx	M2I1NXASM	10.5067/3Z173KIE2TPD
inst1_2d_int_Nx	M2I1NXINT	10.5067/G0U6NGQ3BLE0
inst1_2d_lfo_Nx	M2I1NXLFO	10.5067/RCMZA6TL70BG
inst3_3d_asm_Np	M2I3NPASM	10.5067/QBZ6MG944HW0
inst3_3d_aer_Nv	M2I3NVAER	10.5067/LTVB4GPCOT2
inst3_3d_asm_Nv	M2I3NVASM	10.5067/WWQSXQ8IVFW8
inst3_3d_chm_Nv	M2I3NVCHM	10.5067/HO9OVZWFF3KW2
inst3_3d_gas_Nv	M2I3NVGAS	10.5067/96BUID8HGGX5
inst3_2d_gas_Nx	M2I3NXGAS	10.5067/HNGA0EWW0R09
inst6_3d_ana_Np	M2I6NPANA	10.5067/A7S6XP56VZWS
inst6_3d_ana_Nv	M2I6NVANA	10.5067/IUUU4WB9FT4W
statD_2d_slv_Nx	M2SDNXSLV	10.5067/9SC1VNTWGKV3
tavg1_2d_adg_Nx	M2T1NXADG	10.5067/HM00OHQBHKTP
tavg1_2d_aer_Nx	M2T1NXAER	10.5067/KLICLTZ8EM9D
tavg1_2d_chm_Nx	M2T1NXCHM	10.5067/3RQ5YS674DGQ
tavg1_2d_csp_Nx	M2T1NCSP	10.5067/H0VVAD8F6MX5
tavg1_2d_flx_Nx	M2T1NXFLX	10.5067/7MCPBJ41Y0K6
tavg1_2d_int_Nx	M2T1NXINT	10.5067/Q5GVUVUIVG07
tavg1_2d_lfo_Nx	M2T1NXLFO	10.5067/L0T5GEG1NYFA
tavg1_2d_lnd_Nx	M2T1NXLND	10.5067/RKPHT8KC1Y1T
tavg1_2d_ocn_Nx	M2T1NXOCN	10.5067/Y67YQ1L3ZZ4R
tavg1_2d_rad_Nx	M2T1NXRAD	10.5067/Q9QMY5PBNV1T
tavg1_2d_slv_Nx	M2T1NXSLV	10.5067/VJAFPLI1CSIV
tavg3_3d_mst_Ne	M2T3NEMST	10.5067/JRUZ3SJ3ZJ72
tavg3_3d_trb_Ne	M2T3NETRB	10.5067/4I7ZI35QRH8K
tavg3_3d_nav_Ne	M2T3NENAV	10.5067/N5WAKNS1UYQN

tavg3_3d_cld_Np	M2T3NPCLD	10.5067/TX10URJSKT53
tavg3_3d_mst_Np	M2T3NPMST	10.5067/0TUFO90Q2PMS
tavg3_3d_rad_Np	M2T3NPRAD	10.5067/3UGE8WQXZAOK
tavg3_3d_tdt_Np	M2T3NPTDT	10.5067/9NCR9DDDOPFI
tavg3_3d_trb_Np	M2T3NPTRB	10.5067/ZRRJPGWL8AVL
tavg3_3d_udt_Np	M2T3NPUDT	10.5067/CWV0G3PPPWFW
tavg3_3d_odt_Np	M2T3NPODT	10.5067/S0LYTK57786Z
tavg3_3d_qdt_Np	M2T3NPQDT	10.5067/A9KWADY78YHQ
tavg3_3d_asm_Nv	M2T3NVASM	10.5067/SUOQESM06LPK
tavg3_3d_cld_Nv	M2T3NVCLD	10.5067/F9353J0FAHIH
tavg3_3d_mst_Nv	M2T3NVMST	10.5067/ZXTJ28TQR1TR
tavg3_3d_rad_Nv	M2T3NVRAD	10.5067/7GFQKO1T43RW
tavg3_2d_glc_Nx	M2T3NXGLC	10.5067/9ETB4TT5J6US

Table 6.2 DOI's for MERRA-2 monthly mean file collections.

Descriptive ShortName	ShortName	DOI NAME
instM_2d_asm_Nx	M2IMNXASM	10.5067/5ESKGQTZG7FO
instM_2d_int_Nx	M2IMNXINT	10.5067/KVTU1A8BWFSJ
instM_2d_lfo_Nx	M2IMNXLFO	10.5067/11F99Y6TXN99
instM_2d_gas_Nx	M2IMNXGAS	10.5067/XOGNBQEPLUC5
instM_3d_asm_Np	M2IMNPASM	10.5067/2E096JV59PK7
instM_3d_ana_Np	M2IMNPANA	10.5067/V92O8XZ30XBI
tavgM_2d_adg_Nx	M2TMNXADG	10.5067/RZIK2TV7PP38
tavgM_2d_aer_Nx	M2TMNXAER	10.5067/FH9A0MLJPC7N
tavgM_2d_chm_Nx	M2TMNXCHM	10.5067/WMT31RKEXK8I
tavgM_2d_csp_Nx	M2TMNCSP	10.5067/BZPOTGJOQKLU
tavgM_2d_flx_Nx	M2TMNXFLX	10.5067/0JRLVL8YV2Y4
tavgM_2d_int_Nx	M2TMNXINT	10.5067/FQPTQ4OJ22TL
tavgM_2d_lfo_Nx	M2TMNXLFO	10.5067/5V7K6LJD44SY
tavgM_2d_lnd_Nx	M2TMNXLND	10.5067/8S35XF81C28F
tavgM_2d_ocn_Nx	M2TMNXOCN	10.5067/4IASLIDL8EEC
tavgM_2d_rad_Nx	M2TMNXRAD	10.5067/OU3HJDS973O0
tavgM_2d_slv_Nx	M2TMNXSLV	10.5067/AP1B0BA5PD2K
tavgM_2d_glc_Nx	M2TMNXGLC	10.5067/5W8Q3I9WUFGX
tavgM_3d_cld_Np	M2TMNPCLD	10.5067/J9R0LXGH48JR
tavgM_3d_mst_Np	M2TMNPMST	10.5067/ZRZGD0DCK1CG
tavgM_3d_rad_Np	M2TMNPRAD	10.5067/H3YGROBVBFJ
tavgM_3d_tdt_Np	M2TMNPTDT	10.5067/VILT59HI2MOY
tavgM_3d_trb_Np	M2TMNPTRB	10.5067/2YOIQB5C3ACN
tavgM_3d_udt_Np	M2TMNPUDT	10.5067/YSR6IA5057XX

tavgM_3d_odt_Np	M2TMNPODT	10.5067/Z2KCWAV4GPD2
tavgM_3d_qdt_Np	M2TMNPQDT	10.5067/2ZTU87V69ATP
statM_2d_slv_Nx	M2SMNXSLV	10.5067/KVIMOMCUO83U
const_2d_asm_NX	M2CONXASM	10.5067/ME5QX6Q5IGGU

Table 6.3 DOI's for MERRA-2 monthly diurnal mean file collections.

Descriptive ShortName	ShortName	DOI NAME
instU_2d_asm_Nx	M2IUNXASM	10.5067/BOJSTZA02L8R
instU_2d_int_Nx	M2IUNXINT	10.5067/DGAB3HFEYMLY
instU_2d_lfo_Nx	M2IUNXLFO	10.5067/FC3BVJ88Y8A2
instU_2d_gas_Nx	M2IUNXGAS	10.5067/TVJ4MHBED39L
instU_3d_asm_Np	M2IUNPASM	10.5067/6EGRBNEBMIYS
instU_3d_ana_Np	M2IUNPANA	10.5067/TRD91YO9S6E7
tavgU_2d_adg_Nx	M2TUNXADG	10.5067/YZJJXZTFCX6B
tavgU_2d_aer_Nx	M2TUNXAER	10.5067/KPUMVXFEQLA1
tavgU_2d_chm_Nx	M2TUNXCHM	10.5067/5KFZ6GXRHZKN
tavgU_2d_csp_Nx	M2TUNXCSP	10.5067/9PH5QU4CL9E8
tavgU_2d_flg_Nx	M2TUNXFLX	10.5067/LUHPNWAKYIO3
tavgU_2d_int_Nx	M2TUNXINT	10.5067/R2MPVU4EOSWT
tavgU_2d_lfo_Nx	M2TUNXLFO	10.5067/BTSNKAJND3ME
tavgU_2d_lnd_Nx	M2TUNXLND	10.5067/W0J15047CF6N
tavgU_2d_ocn_Nx	M2TUNXOCN	10.5067/KLNAVGAX7J66
tavgU_2d_rad_Nx	M2TUNXRAD	10.5067/4SDCJYK8P9QU
tavgU_2d_slv_Nx	M2TUNXSLV	10.5067/AFOK0TPREVQEK
tavgU_2d_glc_Nx	M2TUNXGLC	10.5067/7VUPQC736SWX
tavgU_3d_cld_Np	M2TUNPCLD	10.5067/EPW7T5UOO0C0N
tavgU_3d_mst_Np	M2TUNPMST	10.5067/ZRSN0JU27DK2
tavgU_3d_rad_Np	M2TUNPRAD	10.5067/H140JMDOWB0Y
tavgU_3d_tdt_Np	M2TUNPTDT	10.5067/QPO9E5TPZ8OF
tavgU_3d_trb_Np	M2TUNPTRB	10.5067/2A99C60CG7WC
tavgU_3d_udt_Np	M2TUNPUKT	10.5067/DO715T7T5PG8
tavgU_3d_odt_Np	M2TUNPODT	10.5067/M8OJ09GZP23E
tavgU_3d_qdt_Np	M2TUNPQDT	10.5067/S8HJXIR0BFTS

3.0 Options for Reading the Data

3.1 Command Line Utilities

3.1.1 Grads

The Grid Analysis and Display System (GrADS) is a suite of executable well suited for the visualization of MERRA data. MERRA HDF files are self-describing with respect to the gradshdf executable and the sdsopen command within the executable.

GrADS Example

The following brief example demonstrates how to open a MERRA tavg1_2d_slv_Nx and create an image of cloud top temperatures over the eastern United States.

To open the file for reading type ‘gradshdf’ at the system prompt and choose the landscape or portrait mode.

To open a file type the file name at the GrADS prompt (ga->):

```
ga-> sdfopen MERRA300.prod.assim.tavg1_2d_slv_Nx.20001231.hdf
```

GrADS will respond with:

```
Scanning self-describing file: /var/tmp/MERRA300.prod.assim.tavg1_2d_slv_Nx.20001231.hdf
SDF file MERRA300.prod.assim.tavg1_2d_slv_Nx.20001231.hdf is open as file 1
LON set to 0 360
LAT set to -90 90
LEV set to 0 0
Time values set: 2000:12:31:0 2000:12:31:0
```

For a brief description of the file as well as a list of parameters available in the file:

```
ga-> q file
File 1 : MERRA reanalysis. GEOS-5.2.0
Descriptor: MERRA300.prod.assim.tavg1_2d_slv_Nx.20001231.hdf
Binary: MERRA300.prod.assim.tavg1_2d_slv_Nx.20001231.hdf
Type = Gridded
Xsize = 540 Ysize = 361 Zsize = 1 Tsize = 24
Number of Variables = 38
slp 0 -999 Sea level pressure
```

ps 0 -999 Time averaged surface pressure
u850 0 -999 Eastward wind at 850 hPa
u500 0 -999 Eastward wind at 500 hPa
u250 0 -999 Eastward wind at 250 hPa
v850 0 -999 Northward wind at 850 hPa
v500 0 -999 Northward wind at 500 hPa
v250 0 -999 Northward wind at 250 hPa
t850 0 -999 Temperature at 850 hPa
t500 0 -999 Temperature at 500 hPa
t250 0 -999 Temperature at 250 hPa
q850 0 -999 Specific humidity at 850 hPa
q500 0 -999 Specific humidity at 500 hPa
q250 0 -999 Specific humidity at 250 hPa
h850 0 -999 Height at 850 hPa
h500 0 -999 Height at 500 hPa
h250 0 -999 Height at 250 hPa
omega500 0 -999 Vertical pressure velocity at 500 hPa
u10m 0 -999 Eastward wind at 10 m above displacement height
u2m 0 -999 Eastward wind at 2 m above the displacement height
u50m 0 -999 Eastward wind at 50 m above surface
v10m 0 -999 Northward wind at 50 m above the displacement height
v2m 0 -999 Northward wind at 2 m above the displacement height
v50m 0 -999 Northward wind at 50 m above
t10m 0 -999 Temperature at 10 m above the displacement height
t2m 0 -999 Temperature at 2 m above the displacement height
qv10m 0 -999 Specific humidity at 10 m above the displacement height
qv2m 0 -999 Specific humidity at 2 m above the displacement height
tsrad 0 -999 Radiative skin temperature
disph 0 -999 Displacement height
tropq 0 -999 Tropopause pressure
tropq 0 -999 Tropopause temperature
tropq 0 -999 Tropopause specific humidity


To view an image of the Cloud-top temperature (cldtmp):

```
ga-> d cldtmp  
Contouring: 200 to 300 interval 10
```

This will create an image of the cloud-top temperatures shown as contours in a separate window.

To create a PNG image of the eastern United States in a file called 'cldtmpUSeast.png':

```
ga-> set lat 30, 45  
ga-> set lon -85, -70  
ga-> clear  
ga->d cldtmp  
ga-> printim cldtmpUSeast.png
```



GrADS: COLA/IGES

2008-12-23-21:44

Figure 1 cldtmpUSeast.png

GrADS can do much more than was demonstrated above, including

- Calculating statistical data from variables
- Plotting and overlaying variables
- Comparing datasets
- Regridding data

For more information on Grads visit <http://www.iges.org/grads/> and for more information and to download gradshdf and other grads tools see <http://www.iges.org/grads/downloads.html>.

3.1.2 hdp and ncdump

The HDF Toolkit ships with two binary executables, *hdp* and *ncdump*, that can be used to extract values from any HDF file.

These are also available as standalone executables in the utilities subdirectory for each operating system at: ftp://ftp.hdfgroup.org/HDF/HDF_Current/bin, e.g.,
ftp://ftp.hdfgroup.org/HDF/HDF_Current/bin/linux/utilities.

To dump entire file:

```
hdp <file name>
ncdump <file name>
```

To dump an SDS

```
hdp dumpsd -d -n <SDS name> <MERRA file>
```

or

```
ncdump -v <SDS name> <MERRA file>
```

SDS names are listed in Appendix D and can be obtained from a MERRA file by searching for the string “Variable Name” in the SDS headings, for example:

```
hdp dumpsd -h MERRA300.prod.assim.tavg3_3d_qdt_Cp.20001231.hdf | grep 'Variable Name'
Variable Name = DQVDTMST
Variable Name = DQVDTTRB
Variable Name = DQVDTCHM
Variable Name = DQVDTDYN
Variable Name = DQVDTANA
Variable Name = DQIDTMST
Variable Name = DQIDTTRB
Variable Name = DQIDTDYN
Variable Name = DQLDTMST
Variable Name = DQLDTTRB
Variable Name = DQLDTDYN
Dimension Variable Name = XDim:EOSGRID
Dimension Variable Name = YDim:EOSGRID
Dimension Variable Name = Height:EOSGRID
Dimension Variable Name = TIME:EOSGRID
Variable Name = XDim
```

Variable Name = YDim

Variable Name = Height

Variable Name = Time

4.0 Data Services

You can begin to familiarize yourself with the MERRA data by visiting the GES DISC:

<http://disc.sci.gsfc.nasa.gov/>

or if you already know the data product you want to access you can do so directly through the search and download interface:

<http://mirador.gsfc.nasa.gov/>

You can also subset the data and regrid using the MERRA-2 Data Subsetter

<http://disc.sci.gsfc.nasa.gov/daac-bin/FTPSubset2.pl>

MERRA data is also available through OPeNDAP, GDS, and as data subsets. Links to these services can be found at [GES DISC MERRA-2 DATA HOLDINGS page](#) and filter the Source on the left hand side to only include "Models/Analyses MERRA-2".

If you need assistance or wish to report a problem:

Email: gsfc-help-disc@lists.nasa.gov

Voice: 301-614-5224

Fax: 301-614-5268

Address:

Goddard Earth Sciences Data and Information Services Center

NASA Goddard Space Flight Center

Code 610.2

Greenbelt, MD 20771 USA

5.0 More Information

Bosilovich, Michael, 2008. **NASA's Modern Era Retrospective-analysis for Research and Applications: Integrating Earth Observations.** *Earthzine*. [E-Zine Article](#).

M. Bosilovich, J. Chen, F. R. Robertson and R. F. Adler, 2008. **Evaluation of Global Precipitation in Reanalyses.** *Journal of Applied Meteorology and Climatology*. [Journal Article](#)

6.0 Acknowledgements

The distribution of MERRA data set is funded by [NASA's Science Mission Directorate](#)

MERRA data is produced by the [Global Modeling and Assimilation Office](#) (GMAO)

Support for GrADS development and maintenance comes from several sources. The original development of GrADS was funded by the NASA Advanced Information Systems Research Program. The development of the [GrADS-DODS Server](#) was funded by the [SIESIP](#) grant from NASA's Earth Science Information Partnerships. The deployment of [www.monsoondata.org](#) was funded by a grant from the NASA Research and Analysis program. Ongoing support for GrADS is provided by an omnibus grant jointly funded by the NSF, NOAA and NASA that forms the core support for all research at COLA.

Hdp and HDFview were created by the [HDF Group](#).

Ncdump was produced by [Unidata](#)